

SAFETY DATA SHEET

Sterillium Gel pure

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2018
1.9	01.02.2019	R11438	Date of first issue: 25.03.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sterillium Gel pure

Product code : R11438

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH
Melanchthonstraße 27
22525 Hamburg
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs
Kundenservice@SIDA-BODE-CHEMIE.de

Emergency telephone number : Giftnotruf Göttingen
24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use
Human hygiene biocidal products
For further information, refer to the product technical data sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

Sterillium Gel pure

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	≥ 70 - < 90

4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed : Do NOT induce vomiting.
Rinse mouth.

Most important symptoms and effects, both acute and delayed : Tiredness
Eye irritation
Light-headedness
giddiness

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : none

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.

SAFETY DATA SHEET

Sterillium Gel pure

Advice on safe handling : Keep away from heat.

Conditions for safe storage : Store at room temperature in the original container.

Materials to avoid : Keep away from food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

Personal protective equipment

Protective measures : No special protective equipment required.

Hygiene measures : Keep away from food and drink.
Avoid contact with eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous

Colour : colourless

Odour : alcohol-like

pH : No data available

Melting point/range : not determined

Boiling point/boiling range : > 35 °C

Flash point : 17,1 °C
Method: ISO 3679

Flammability (solid, gas) : not auto-flammable

Lower explosion limit / Lower flammability limit : Lower flammability limit
83 g/m³
Method: DIN 51649

Vapour pressure : No data available

Density : 0,83 g/cm³ (20 °C)

Solubility(ies)
Water solubility : partly miscible

Viscosity
Viscosity, dynamic : 4.000 - 8.000 mPa.s (20 °C)
Method: ISO 2555
Brookfield DVII+, RV5

Conductivity : No data available

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

Sterillium Gel pure

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	None reasonably foreseeable.
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods.
Incompatible materials	:	None.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
---------------------------	---	---

Components:

Ethanol (CAS: 64-17-5):

Acute oral toxicity	:	LD50 Oral (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 51 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

Ethanol (CAS: 64-17-5):

Species: human skin
Result: Mild skin irritation
Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Components:

Ethanol (CAS: 64-17-5):

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Result: Does not cause skin sensitisation.

SAFETY DATA SHEET

Sterillium Gel pure

Components:

Ethanol (CAS: 64-17-5):

Species: Mouse

Method: OECD Test Guideline 429

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks: This information is not available.

Reproductive toxicity

No data available

STOT - single exposure

Product:

Remarks: No data available

STOT - repeated exposure

Product:

Remarks: No data available

Repeated dose toxicity

Product:

Remarks: This information is not available.

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Fish): 13.000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

Sterillium Gel pure

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

Ethanol (CAS: 64-17-5):

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.
Store containers and offer for recycling of material when in accordance with the local regulations.

14. TRANSPORT INFORMATION

ADR

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION
Class : 3
Packing group : II
Labels : 3
Hazard Identification Number : 33
Tunnel restriction code : (D/E)

UNRTDG

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION
Class : 3

SAFETY DATA SHEET

Sterillium Gel pure

Packing group : II
Labels : 3

IATA-DGR

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution
Class : 3
Packing group : II
Labels : Class 3 - Flammable Liquid
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

16. OTHER INFORMATION

Safety datasheet sections which have been updated:


- 3. Composition/information on ingredients
- 8. Exposure controls/personal protection
- 12. Ecological information
- 15. Regulatory information

SAFETY DATA SHEET

Sterillium Gel pure

Further information

NFPA:



HMIS® IV:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / STEL : Short-term exposure limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN